

L Number	Hits	Search Text	DB	Time stamp
1	3	((high?pressure) WITH applicator) AND (piston OR syringe) AND psi	USPAT; US-PGPUB	2004/05/06 10:59
2	20	((high?pressure) OR (high ADJ pressure)) WITH applicator) AND (piston OR syringe) AND psi	USPAT; US-PGPUB	2004/05/06 11:00
3	25	((high?pressure) OR (high ADJ pressure)) WITH applicator) AND (piston OR syringe) AND psi	USPAT; US-PGPUB	2004/05/06 11:00
4	52	(606/92-94 OR 604/211 OR 604/224 OR 604/235).ccls. AND psi	USPAT; US-PGPUB	2004/05/06 11:08
5	0	433.ccls. AND psi	USPAT; US-PGPUB	2004/05/06 11:08
6	547	433/\$.ccls. AND psi	USPAT; US-PGPUB	2004/05/06 11:08
7	505	433/\$.ccls. AND psi AND (cylinder OR piston OR syringe OR delivery OR applicator OR application OR applying)	USPAT; US-PGPUB	2004/05/06 11:09
8	60	433/\$.ccls. AND psi AND (cylinder OR piston OR syringe OR delivery OR applicator OR application OR applying) AND ((high ADJ pressure) OR high?pressure)	USPAT; US-PGPUB	2004/05/06 11:17
9	10	(433/89 OR 433/90).ccls. AND psi	USPAT; US-PGPUB	2004/05/06 11:19
10	1535	222/\$.ccls. AND psi	USPAT; US-PGPUB	2004/05/06 11:19
11	233	222/\$.ccls. AND psi AND plunger	USPAT; US-PGPUB	2004/05/06 11:20
12	120	222/\$.ccls. AND psi AND plunger AND ((high ADJ pressure) OR high?pressure)	USPAT; US-PGPUB	2004/05/06 11:32
13	313	(psi WITH (generate OR generating OR producing OR produce)) AND plunger AND ((high ADJ pressure) OR high?pressure)	USPAT; US-PGPUB	2004/05/06 11:46
14	1	(psi WITH (generate OR generating OR producing OR produce)) AND plunger AND ((high ADJ pressure) OR high?pressure)	USOCR	2004/05/06 11:46
15	320	psi AND plunger	USOCR	2004/05/06 11:46
16	70	psi AND plunger AND ((high?pressure) OR (high ADJ pressure))	USOCR	2004/05/06 11:47
17	152	psi AND (plunger OR piston OR syringe) AND ((high?pressure) OR (high ADJ pressure))	USOCR	2004/05/06 11:47
18	11	psi AND (plunger OR piston OR syringe) AND ((high?pressure) OR (high ADJ pressure)) AND (viscosity OR viscous)	USOCR	2004/05/06 11:48
19	152	psi AND (plunger OR piston OR syringe) AND ((high?pressure) OR (high ADJ pressure))	USOCR	2004/05/06 11:52
20	44	psi AND 222/\$.ccls.	USOCR	2004/05/06 11:55
21	3	psi AND 433/\$.ccls.	USOCR	2004/05/06 11:55
22	0	psi AND (606/92-94 OR 604/211 OR 604/224 OR 604/235).ccls.	USOCR	2004/05/06 11:56
23	252	psi AND (plunger OR piston OR syringe)	EPO; JPO; DERWENT; IBM TDB	2004/05/06 13:14
24	118	caulk ADJ gun	USPAT	2004/05/06 13:20
25	5	222/391.ccls. AND psi	USPAT	2004/05/06 13:17
26	5	222/391.ccls. AND psi	USPAT; US-PGPUB	2004/05/06 13:17
27	19	(caulk ADJ gun) AND psi	USPAT	2004/05/06 13:20
28	28	(caulk ADJ gun) AND psi	USPAT; US-PGPUB	2004/05/06 13:21
29	0	(caulk ADJ gun) AND psi	USOCR	2004/05/06 13:21

L Number	Hits	Search Text	DB	Time stamp
1	5	seal AND (Teflon ADJ wrap)	USPAT; US-PGPUB	2004/05/06 14:13
2	436	seal AND (Teflon ADJ tape)	USPAT; US-PGPUB	2004/05/06 14:14
3	92	seal WITH (Teflon ADJ tape)	USPAT; US-PGPUB	2004/05/06 14:14



Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)